CP651 1/3



PRODUCT-DETAILS

## **CP651**

## CP651 Control Panel 10.4" TFT touch scre



General Information	
Extended Product Type	CP651
Product ID	1SAP551100R0001
ABB Type Designation	CP651
EAN	4013614493119
Catalog Description	CP651 Control Panel 10.4" TFT touch scre
Long Description	CP651 Control Panel 10.4" TFT touch screen, 64 K colors, 800 x 600 pixel, PB610 runtime license

Additional Information	
ABB Type Designation	CP651
Ambient Air	Operation 0 +50 °C
Temperature	Storage -20 +70 °C
CN8	85371091
Communication	2x Ethernet 10/100Mbit
Interface	1x RS-232/-422/-485
	2x USB 2.0 Host
	1x SD-card slot
	2x Expansion slot

CP651 2/3

Country or Territory of Origin	Italy Germany
Customs Tariff Number	85371091
Degree of Protection	acc. to IEC 60529 Front IP66 acc. to IEC 60529 Housing IP20
EAN	4013614493119
Frame Size	Undefined
GL Certificate	1SAA960004-0304
Gross Weight	2.9 kg
Housing Material	Front side: Aluminium Reverse side: Aluminium
Invoice Description	CP651 Control Panel 10.4" TFT touch scre
Made To Order	No
Maximum Order Quantity	0 piece
Memory Size User Data	256 MB
Memory Size User Program	256 MB
Memory Type User Data	Flash Disk
Memory Type User Program	DDR RAM
Minimum Order Quantity	1 piece
Mounting Type	Front face
Order Multiple	1 piece
Package Level 1 Depth / Length	370 mm
Package Level 1 Height	120 mm
Package Level 1 Units	1 carton
Package Level 1 Width	270 mm
	24 W
Power Supply	24 (18 30) V DC
Product Main Type	CP651
Product Name	Control Panels
Product Net Depth / Length	60 mm
Product Net Height	232 mm
Product Net Weight	2.05 kg
Product Net Width	287 mm
Product Type	PLC-CP600
Programming Software	PB610 Panel Builder 600
Quote Only	No
Real-time Clock	Hardware clock, battery back-up
Replaced Product ID (OLD)	1SAP550100R0001
SCIP	bb117a70-1600-49ce-a95b-f529f2bf3448 Germany
Screen Color	64k colors
Screen Resolution	800 x 600 pixel
Screen Size	4:3 screen 10.4 in
Screen Type	TFT color, LED backlight, touch screen
Security	Password protection with 8 user levels
Selling Unit of Measure	piece
Serial Port 1 Type	RS232/RS422/RS485
Service Life	40000 hour
Short Description	CP651 Control Panel 10.4" TFT touch screen
Stocked At (Warehouses)	Menden, Germany Hangzhou, China

CP651 3/3

	Bairro Santo Antonio, Brazil
UNSPSC	32151703
USB Port 1 Type	Host, version 2.0
USB Port 2 Type	Host, version 2.0
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	27-33-02-01

## Categories

PLC Automation  $\rightarrow$  Service  $\rightarrow$  Spares and Consumables  $\rightarrow$  Parts

