

140ESI06210

ASCII serial link module Modicon Quantum - 2 RS232C port



Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 3980.00 USD



Main

Commercial Status	Commercialised
Range of product	Modicon Quantum automation platform
Product or component type	ASCII serial link module
Software name	Unity Pro > V2 ProWORX NxT > V2 ProWORX 32 > V2 Concept > V2

Complementary

Product compatibility	All Quantum CPU
Product specific application	For standard applications
Mode of transmission	ASCII
Number of port	2 RS232C non isolated conforming to DIN 66020
Electrical connection	2 connectors SUB-D 9
Transmission rate	19.2 kbit/s
Cable length	65.62 ft (20 m)
Message nesting	8 levels
Buffer size	255 I bytes/255 O bytes
Number of messages	255
Message length	127 characters + 1 checksum maximum
Clock	With calendar clock
Memory capacity	32 kB RAM 128 kB flash
Power dissipation in W	<= 2 W
Addressing requirement	12 input words 12 output words
Bus current requirement	300 mA
Module format	Standard
Product weight	0.66 lb(US) (0.3 kg)

Environment

Resistance to electromagnetic fields	9.14 V/yd (10 V/m) 80...1000 MHz conforming to IEC 801-3
Ambient air temperature for operation	32...140 °F (0...60 °C)
Ambient air temperature for storage	-40...185 °F (-40...85 °C)
Relative humidity	95 % without condensation
Operating altitude	<= 16404.2 ft (5000 m)

Ordering and shipping details

Category	18155 - QUANTUM I/O & POWER SUPPLIES
Discount Schedule	PC21
GTIN	00785901300571
Nbr. of units in pkg.	1
Package weight(Lbs)	1.03
Product availability	Non-Stock - Not normally stocked in distribution facility
Returnability	N
Country of origin	FR

Offer Sustainability


Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0844 - Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold
Product environmental profile	Available Download Product Environmental Profile
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Period	18 months
--------	-----------

Racks for Modules Mounting

Dimensions of Modules and Racks



- (1) 2 slots
- (2) 3 slots
- (3) 4 slots
- (4) 6 slots
- (5) 10 slots
- (6) 16 slots